

## Hongos endófitos: ventajas adaptativas que habitan en el interior de las plantas [

2006

text (article)

Analítica

Endophytic fungi often develop a systemic and mutually beneficial association with their hosts. A wide range of economically important plants have been reported to harbor endophytes. In these symbiotic mutualisms, both host and symbiont gain benefits from the association. The fungus obtains nutrients form its host and in return it provides protection from abiotic (environmental stresses) and biotic stresses (pest and insect attacks) to its host plant. Endophytes have been shown to confer enhanced fitness to their hosts such as enhanced tillering, drought tolerance, root growth, overall enhanced plant growth. This work describes the detection, isolation and genetic transformation of an endophytic fungus, Acremonium implicatum, from Brachiaria brizantha accession CIAT 6780. The results open possibilities for exploiting the qualities of an introduced gene as a reporter and study the interactions between A. implicatum and its host Brachiaria. Furthermore, it also provides options to use a transformed A. implicatum as a vehicle for production and delivery of gene products of agronomic interest into the host plant in order to enhance protective benefits and other traits of agronomic importance that will contribute to improved plant productivity. Key words: genetic transformation, gene reporter, green fluorescent protein (GFP), plant-endophyte interaction.

Endophytic fungi often develop a systemic and mutually beneficial association with their hosts. A wide range of economically important plants have been reported to harbor endophytes. In these symbiotic mutualisms, both host and symbiont gain benefits from the association. The fungus obtains nutrients form its host and in return it provides protection from abiotic (environmental stresses) and biotic stresses (pest and insect attacks) to its host plant. Endophytes have been shown to confer enhanced fitness to their hosts such as enhanced tillering, drought tolerance, root growth, overall enhanced plant growth. This work describes the detection, isolation and genetic transformation of an endophytic fungus, Acremonium implicatum, from Brachiaria brizantha accession CIAT 6780. The results open possibilities for exploiting the qualities of an introduced gene as a reporter and study the interactions between A. implicatum and its host Brachiaria. Furthermore, it also provides options to use a transformed A. implicatum as a vehicle for production and delivery of gene products of agronomic interest into the host plant in order to enhance protective benefits and other traits of agronomic importance that will contribute to improved plant productivity. Key words: genetic transformation, gene reporter, green fluorescent protein (GFP), plant-endophyte interaction.

https://rebiunoda.pro.baratznet.cloud: 28443/Opac Discovery/public/catalog/detail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTExMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0ei5yZW4vMzE1NTexMTcDetail/b2FpOmNlbGVicmF0aW9uOmVzLmJhcmF0aW9uOmVzLmJhcmF0aW9uOmVzLmJhcmF0aW9uOmVzLmJhcmF0aW9uOmVzLmJhcmF0aW9uOmVzLm

Editorial: 2006

**Tipo Audiovisual:** genetic transformation gene reporter green fluorescent protein (GFP) plant-endophyte interaction Transformación genética Gen reportero Proteína verde fluorescente (GFP) Interacción planta-endófito

**Documento fuente:** Revista Corpoica: Ciencia y Tecnología Agropecuaria, ISSN 0122-8706, Vol. 7, N°. 2, 2006,

pags. 55-57

Nota general: application/pdf

Restricciones de acceso: Open access content. Open access content star

Condiciones de uso y reproducción: LICENCIA DE USO: Los documentos a texto completo incluidos en Dialnet son de acceso libre y propiedad de sus autores y/o editores. Por tanto, cualquier acto de reproducción, distribución, comunicación pública y/o transformación total o parcial requiere el consentimiento expreso y escrito de aquéllos. Cualquier enlace al texto completo de estos documentos deberá hacerse a través de la URL oficial de éstos en Dialnet. Más información: https://dialnet.unirioja.es/info/derechosOAI | INTELLECTUAL PROPERTY RIGHTS STATEMENT: Full text documents hosted by Dialnet are protected by copyright and/or related rights. This digital object is accessible without charge, but its use is subject to the licensing conditions set by its authors or editors. Unless expressly stated otherwise in the licensing conditions, you are free to linking, browsing, printing and making a copy for your own personal purposes. All other acts of reproduction and communication to the public are subject to the licensing conditions expressed by editors and authors and require consent from them. Any link to this document should be made using its official URL in Dialnet. More info: https://dialnet.unirioja.es/info/derechosOAI

Lengua: Spanish

**Enlace a fuente de información:** Revista Corpoica: Ciencia y Tecnología Agropecuaria, ISSN 0122-8706, Vol. 7, N°. 2, 2006, pags. 55-57

## **Baratz Innovación Documental**

- Gran Vía, 59 28013 Madrid
- (+34) 91 456 03 60
- informa@baratz.es